

S62	1569	(( sequence\$1 or order\$3) with ( command\$3 ) ).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:29
S63	542	S62 & ( tree\$3 or layer\$3 or hierarch\$3 or diagram\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:28
S64	465	S62 & ( tree\$3 or layer\$3 or hierarch\$3 or diagram\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:28
S65	11639	(710/1-74).CCLS.	USPAT; USOCR	OR	OFF	2005/12/13 10:52
S66	21	S65 & S61	USPAT	OR	OFF	2005/12/12 15:30
S67	643	(( re near3 order\$3) or reoder\$3 or re-order\$3 or modif\$3 or updat\$3 chang\$3) with ( function\$3 or command\$3 ) with sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 16:10
S68	272	(( re near3 order\$3) or reoder\$3 or re-order\$3 or modif\$3 or updat\$3 chang\$3) with ( function\$3 or command\$3 ) with sequenc\$3 with ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 16:13
S69	67	(( re near3 order\$3) or reoder\$3 or re-order\$3 or modif\$3 or updat\$3 chang\$3) same ( function\$3 or command\$3 ) with sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 16:14
S70	3	(( re near3 order\$3) or reoder\$3 or re-order\$3 ) same ( function\$3 or command\$3 ) with sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 16:15
S71	10	(( re near3 order\$3) or reoder\$3 or re-order\$3 ) with ( function\$3 or command\$3 ) with sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 16:17

S72	23	(( re near3 order\$3) or reoder\$3 or re-order\$3 ) with ( function\$3 or command\$3 ) same sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 16:32
S73	86	(( re near3 order\$3) or reoder\$3 or re-order\$3 ) with ( function\$3 or command\$3 ) with sequenc\$3 & ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 16:42
S75	21	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) with sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:01
S76	43	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) same sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:02
S77	74	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) same sequenc\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:04
S78	123	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) same ( function\$3 or command\$3 or job\$3 or task\$1 ) same sequenc\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:06
S79	17583	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) same ( function\$3 or command\$3 or job\$3 or task\$1 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:06
S80	1334	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) same ( function\$3 or command\$3 or job\$3 or task\$1 ) ). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:06

S81	834	( (( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) ). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:07
S82	145	( (( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) ). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:07
S83	14	( (( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) ). ti. & ( tree\$1 or layer\$1 or hierarch\$3 or stack\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:38
S84	145	( (( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) ). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:11
S85	48	( (( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( command\$3 ) ). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:37
S86	1	( printer\$3 near3 pausing near6 reordering).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 17:17
S87	2	( "6,553454" B1).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 09:56
S88	2	( "5,210859").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 09:56

S89	19	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job11 or task\$1 ) with sequenc\$3 same ( tree\$1 or hierarch\$3 or diagram\$3 or layer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:37
S90	91	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 or job\$3 or task\$1 ) with ( opposit\$3 or revers\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:40
S91	80	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 ) with ( opposit\$3 or revers\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:40
S92	37	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 ) with ( opposit\$3 or revers\$3) )	US-PGPUB; USPAT	OR	OFF	2005/12/13 10:43
S93	4	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 ) with ( opposit\$3 or revers\$3) ) same ( execut\$3 or implement\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:45
S94	8	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 ) with ( opposit\$3 or revers\$3) same ( histor\$3 or record\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:46
S95	39	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$3 or command\$3 ) same ( opposit\$3 or revers\$3) same ( histor\$3 or record\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:47
S96	42	(( re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) near6 ( function\$3 or command\$3 ) with( opposit\$3 or revers\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:49

S97	15	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) near6 ( function\$3 or command\$3 ) with( opposit\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:50
S98	27	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) near6 ( function\$3 or command\$3 or action\$1 ) with( opposit\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:52
S99	11664	(710/1-74).CCLS.	USPAT; USOCR	OR	OFF	2005/12/13 10:52
S10 0	5951	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$1 or command\$3 or action\$1 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:53
S10 1	111	S99 & S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:53
S10 2	1723	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$1 or command\$3 or action\$1 ) ) & opposit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:55
S10 3	23	S99 & S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:55
S10 4	2748	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) near4 ( function\$1 or command\$3 or action\$1 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:57
S10 5	79	S99 & S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:57

S10 6	244	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) near4 ( function\$1 or command\$3 or action\$1 ) ) same sequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:09
S10 7	14	S99 & S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:10
S10 8	606	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) near4 ( function\$1 or command\$3 or action\$1 or operation\$1 ) ) same sequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:10
S10 9	845	(( (re near3 order\$3) or reoder\$3 or re-order\$3 or reschedul\$3 or rearrang\$3 ) with ( function\$1 or command\$3 or action\$1 or operation\$1 ) ) with sequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:10
S11 0	18	S99 & S109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 12:54